

# SAILOR

Service Information No.  
Kundendienst-Mitteilung No.  
Service Information No.  
Información de servicio No.  
Servicemeddelelse No.

Series / Serie / Numéro de série / Serie / Serie

Date / Datum / Date / Fecha / Dato

55

For transmitters T122 delivered after 1st November, 1973, a modification of the 24 V DC converter has been introduced. The object of this modification is to provide for a short starting time at all occurring power amplifications of the matched transistors. SP 5408.MP.

When changing SP 5408.MP please also read service information no. 51 you are advised to make this modification of described below.

On the control panel between the two cooling fins remove one 2,2 uF capacitor ( C1125 ).

One of the pins of the capacitor C1127 on 0,33 uF is soldered off and connected as shown in the sketch. (By this C1127 is connected in parallel to R1106 instead of across TR1102).



Please file this information in the service-portfolio we have sent you.

Bitte archivieren Sie diese Mitteilung in der Kundendienstmappe, die wir Ihnen gesandt haben.

Nous vous prions de bien vouloir classer ce document dans le dossier bleu qui vous a été envoyé à cet effet.

Sivanse archivar esta información en la cubierta de servicio que les hemos enviado a Ustedes.

De bedes venligst arkivere denne meddelelse i den tilsendte servicemappe.


A/S S. P. RADI  
Aalborg - Denmark

Series / Serie / Numéro de série / Serie / Serie

January, 1974

Date / Datum / Date / Fecha / Dato

## Supplement to Service Information No 55.



Please file this information in the service-portfolio we have sent you.

Bitte archivieren Sie diese Mitteilung in der Kundendienstmappe, die wir Ihnen gesandt haben.

Nous vous prions de bien vouloir classer ce document dans le dossier bleu qui vous a été envoyé à cet effet.

Sivanse archivar esta información en la cubierta de servicio que les hemos enviado a Ustedes.

De bedes venligst arkivere denne meddelelse i den tilsendte servicemappe.

REPRESENTATIVE

S. P. RAD

Aalborg - Denmark